
















FORMIVAR 60%	CH-Kasten Ruche Suisse (Bürki) Arnica Svizzera	Nuclei Mini Plus Warré	Zander DNM Langstroth Segeberger National, Simplex Smith, 2×Warré	Dadant 2×Simplex AZ Alberti- Žnidaršič Commercial Deep National	2×Zander 2×DNM 2×Segeberger 2×Langstroth 4×Warré
	20–25 ml/d	20–25 ml/d	20–25 ml/d	25–30 ml/d	30–50 ml/d
25–30 °C	1/4  1. 100 ml	1/8  2. 150 ml	2×7/8  1. 150 ml 2. 150 ml	2×1  1. 200 ml	2×1  2. 200 ml
20–25 °C	3/8  1. 100 ml	1/4  2. 150 ml	2×1  1. 150 ml 2. 150 ml	2×1  1. 200 ml	2×1  2. 200 ml
15–20 °C	2×3/4  1. 100 ml	2×1/2  2. 150 ml	2×1  1. 150 ml 2. 150 ml	2×1  1. 200 ml	2×1  2. 200 ml

d Tag, day, jour, giorno, dag
















1. Erste Behandlung, first treatment, premier traitement, primo trattamento, eerste behandelng
2. Zweite Behandlung, second treatment, deuxième traitement, secondo trattamento, tweede behandelng



Verwendung von Formivar 85% wird empfohlen.
Use of Formivar 85% is recommended.
L'utilisation de Formivar 85% est recommandée.
L'uso del Formivar 85% è consigliato.
Het gebruik van Formivar 85% wordt aanbevolen.



Verwenden Sie 2 Dochtpapiere pro Behandlung.
Use 2 paper-wicks per treatment. Utilisez 2 papiers
par traitement. Utilizzare 2 carte per trattamento.
Gebruik 2 verdampspapieren per behandelng.

FORMIVAR 85%	CH-Kasten Ruche Suisse (Bürki) Arnia Svizzera	Nuclei Mini Plus Warré	Zander DNM Langstroth Segeberger National, Simplex Smith, 2×Warré	Dadant 2×Simplex AZ Alberti- Žnidaršič Commercial Deep National	2×Zander 2×DNM 2×Segeberger 2×Langstroth 4×Warré
	10–15 ml/d	10–15 ml/d	15–20 ml/d	15–20 ml/d	20–30 ml/d
25–30°C	1/16  ⚠️ 1. 50 ml	1/16  2. 100 ml ⚠️	1/4  1. 75 ml 2. 100 ml	5/8  1. 100 ml	3/4  2. 200 ml ⚠️
20–25°C	1/8  ⚠️ 1. 50 ml	1/8  2. 100 ml ⚠️	3/8  1. 75 ml 2. 100 ml	3/4  1. 100 ml	7/8  2. 200 ml
15–20°C	1/4  1. 50 ml	1/4  2. 100 ml	1/2  1. 75 ml 2. 100 ml	7/8  1. 100 ml	1  2. 200 ml

d Tag, day, jour, giorno, dag

1. Erste Behandlung, first treatment, premier traitement, primo trattamento, eerste behandeling
2. Zweite Behandlung, second treatment, deuxième traitement, secondo trattamento, tweede behandeling



Verwendung von Formivar 60% wird empfohlen.
Use of Formivar 60% is recommended.
L'utilisation de Formivar 60% est recommandée.
L'uso del Formivar 60% è consigliato.
Het gebruik van Formivar 60% wordt aanbevolen.